

# TECHNICAL CLUB RIDER GARE DE LION

v2024-03

## P.A.

4 pcs.	Electro-Voice DeltaMax DML-1152	15"+2" main speaker 2-way, 2 pcs. per side (flown), driven by Crest Audio FA2401
2 pcs.	Electro-Voice MTL-2	2x18" sub speaker, 1 pc. per side, driven by Crest Audio 7001
2 pcs.	K&F CA 106	6.5"+1" delay speaker, 1 pc. per side (flown), driven by Mackie FR M1400
1 pc.	Xilica XD-4080	System controller

## MONITORING (Notice: No separate monitoring console)

4 pcs.	Nexo PS10	10"+1" speaker, driven by QSC RMX 2450 with Nexo PS10 TD controller
2 pcs.	Nexo PS15	15"+2" speaker, driven by TOA P-300D with Nexo PS15 TD controller

## F.O.H.

1 pc.	Yamaha QL5	Digital audio mixing console (32 In / 16 Out with analog multicore)
6 pcs.	AUX lines to stage	XLR to monitoring amps
1 pc.	Stage Line CD-110	CD player
1 pc.	Apple Mac mini	Computer with Dante Virtual Soundcard (DVS) connected to Yamaha QL5

## MICROPHONES

6 pcs.	Shure SM58	3 pcs.	Oktava MK-012-01	5 pcs.	BSS AR-133 Active DI
2 pcs.	Shure BETA 58A	2 pcs.	Røde NT5	5 pcs.	Stage Line DIB-100 Active DI
4 pcs.	Shure SM57	2 pcs.	Audix ADX-51	4 pcs.	Klark Teknik DN 200 Passive DI (stereo)
2 pcs.	Shure BETA 57A	1 pc.	Audix D6	1 pc.	Stage Line DIB-102 Passive DI (stereo)
4 pcs.	Sennheiser e604	1 pc.	AKG D112	1 pc.	Radial J48 Active DI
1 pc.	Sennheiser e606	1 pc.	Shure BETA 52A	2 pcs.	Plugbox 12-channel
1 pc.	Sennheiser e609	1 pc.	Shure BETA 91A	4 pcs.	Multicore XLR 8-channel (5 m / 16.40 ft.)
2 pcs.	Sennheiser e906			1 pc.	Stage Line MPS-1 Microphone splitter

## DI / PLUGBOXES / MULTICORES / SPLITTER

## DJ EQUIPMENT

1 pc.	Pioneer DJM-900SRT	4-channel mixer with built-in Serato
1 pc.	Rane Seventy	2-channel Serato mixer
2 pcs.	Technics SL-1210MK2	Turntable (with shock mounts)
2 pcs.	Pioneer CDJ-2000NXS2	DJ multi player with disc drive
2 pcs.	Pioneer CDJ-350	DJ multi player with disc drive
1 pc.	Netgear ProSafe GS108	8-port Gigabit ethernet switch

## LIGHTS

1 pc.	MA Lightning grandMA3 onPC with command wing controller
-------	---

--> See separate Light plot

DMX house lines: 2 lines (3-pin) from F.O.H. to stage: FX on line 1, Dimmerpacks on line 2.

DMX guest line: 1 free line (3-pin) from F.O.H. to stage with 8-channel DMX/RDM-splitter on stage

## PROJECTORS (on request)

1 pc.	NEC NP600	3500 lumens, D-Sub in/out, DVI, S-Video, Composite, LAN, Audio in/out
1 pc.	Sony VPL-PHZ60	6000 lumens, HDMI, RGB-/YPbPr (Mini D-Sub), HDBaseT (RJ45), Chinch (Composite)

Video sources: HDMI/VGA at F.O.H. or Downstage Left (Notice: Please bring your own playback device!)

## STAGE DIMENSIONS / BACKDROP

Stage width	6 m / 19.68 ft.
Stage depth	4 m / 13.12 ft.
Stage height	0.8 m / 2.62 ft.
Stage ceiling height	3 m / 9.84 ft.
House backdrop	Black molton curtain or white Projector-screen
Artist backdrop	Movable thin pipe, max. size of backdrop: 5 m x 3 m / 16.40 ft. x 9.84 ft.

## CONTACTS / FURTHER INFORMATIONS

Booking contact	Mike Sarbach, <a href="mailto:booking@garedelion.ch">booking@garedelion.ch</a>
Technical contact	Oliver Wiesendanger, <a href="mailto:gleisbau@garedelion.ch">gleisbau@garedelion.ch</a>

- Address for navigations devices: Gare de Lion, Silostrasse 10, 9500 Wil, Switzerland

- Load-in: On floor level (Stairway to stage)

- Parking: Beside the venue


- Parking power (ex. for nightliners): CEE16/5 oder CEE32/5 in front of the venue (Please contact us IN ADVANCE)

- Free WIFI: Yes (Get access on site)

# LIGHT PLOT GARE DE LION

v2023-03

Technical contact: **Oliver Wiesendanger, gleisbau@garedelion.ch**



Varytec Theater Spot 650/1000 Fresnel (650W)



Martin Rush MH 1 Profile Plus (350W)



Showtec Compact Par 18 MKII (60W)



PAR 64 longnose (500W, MFL)



ADJ Inno Scan HP (108W)



Cameo CLMover1 LED Tri Mover Can (30W)



Strand Prelude 16/30 Profiler (650W)



Cameo Q-Spot 40 RGBW (40W)

# LIGHT PATCH GARE DE LION

v2024-03

UNIVERSE	DMX ADDRESS	CHANNELS	DEVICE	LOCATION
1	001	1	Ignition 2bright Blind 3K (1ch. Mode)	Midtruss Left
1	002	1	Ignition 2bright Blind 3K (1ch. Mode)	Midtruss Center
1	003	1	Ignition 2bright Blind 3K (1ch. Mode)	Midtruss Right
1	007	3	Stairville LED Flash LF12 (1.2ch. Mode)	Midtruss Left
1	010	3	Stairville LED Flash LF12 (1.2ch. Mode)	Backtruss Center
1	013	3	Stairville LED Flash LF12 (1.2ch. Mode)	Midtruss Right
1	016	2	Smoke Factory Tour-Hazer II	Upstage Right
1	020	12	ADJ Inno Scan HP 1	Ceiling Pipe Left (Dancefloor)
1	040	12	ADJ Inno Scan HP 2	Ceiling Pipe Left (Dancefloor)
1	060	12	ADJ Inno Scan HP 3	Ceiling Pipe Right (Dancefloor)
1	080	12	ADJ Inno Scan HP 4	Ceiling Pipe Right (Dancefloor)
1	100	17	Martin Rush MH 1 Profile Plus 1	Sidetruss Left
1	120	17	Martin Rush MH 1 Profile Plus 2	Backtruss Left
1	140	17	Martin Rush MH 1 Profile Plus 3	Backtruss Mid Left
1	160	17	Martin Rush MH 1 Profile Plus 4	Backtruss Mid Right
1	180	17	Martin Rush MH 1 Profile Plus 5	Backtruss Right
1	200	17	Martin Rush MH 1 Profile Plus 6	Sidetruss Right
1	217	6	Showtec Compact Par 18 MKII 1	Sidetruss Left
1	223	6	Showtec Compact Par 18 MKII 2	Backtruss Left
1	229	6	Showtec Compact Par 18 MKII 3	Backtruss Mid Left
1	235	6	Showtec Compact Par 18 MKII 4	Backtruss Center Left
1	241	6	Showtec Compact Par 18 MKII 5	Backtruss Center
1	247	6	Showtec Compact Par 18 MKII 6	Backtruss Center Right
1	253	6	Showtec Compact Par 18 MKII 7	Backtruss Mid Right
1	259	6	Showtec Compact Par 18 MKII 8	Backtruss Right
1	265	6	Showtec Compact Par 18 MKII 9	Sidetruss Right
1	271	6	Showtec Compact Par 18 MKII 10	Ceiling Pipe Left (Dancefloor)
1	277	6	Showtec Compact Par 18 MKII 11	Ceiling Pipe Right (Dancefloor)
1	283	4	Cameo CLMover1 LED Tri Mover Can 1	Downtruss Left (lower hanged)
1	287	4	Cameo CLMover1 LED Tri Mover Can 2	Backtruss Mid Left
1	291	4	Cameo CLMover1 LED Tri Mover Can 3	Backtruss Mid Right
1	295	4	Cameo CLMover1 LED Tri Mover Can 4	Downtruss Right (lower hanged)
1	299	9	Cameo Q-Spot 40 RGBW (Pinpoint for Mirror Ball)	Fronttruss Left
1	308	9	Cameo Q-Spot 40 RGBW (Pinpoint for Mirror Ball)	Fronttruss Right

## Dimmerpacks - Botex DPX-620 III (3 pcs., 6 channels each)

UNIVERSE	DMX ADDRESS	CHANNELS	DEVICE	LOCATION
2	001	1	PAR 64 longnose (500W)	Sidetruss Left
2	002	1	PAR 64 longnose (500W)	Sidetruss Right
2	003	1	Varytec Theater Spot 650/1000 Fresnel (650W)	Midtruss Left
2	004	1	Varytec Theater Spot 650/1000 Fresnel (650W)	Midtruss Right
2	005	1	PAR 64 longnose (500W)	Midtruss Center Left
2	006	1	PAR 64 longnose (500W)	Midtruss Center Right
2	007	1	Varytec Theater Spot 650/1000 Fresnel (650W)	Ceiling Pipe Back Left
2	008	1	Varytec Theater Spot 650/1000 Fresnel (650W)	Ceiling Pipe Back Mid Left
2	009	1	Varytec Theater Spot 650/1000 Fresnel (650W)	Ceiling Pipe Back Mid Right
2	010	1	Varytec Theater Spot 650/1000 Fresnel (650W)	Ceiling Pipe Back Right
2	011	1	Strand Prelude 16/30 Profiler (650W)	Ceiling Pipe Back Left
2	012	1	Strand Prelude 16/30 Profiler (650W)	Ceiling Pipe Back Right
2	013	1	-	Dimmer rack (Upstage Center)
2	014	1	-	Dimmer rack (Upstage Center)
2	015	1	-	Dimmer rack (Upstage Center)
2	016	1	-	Dimmer rack (Upstage Center)
2	017	1	-	Dimmer rack (Upstage Center)
2	018	1	-	Dimmer rack (Upstage Center)